



Glo-Ball Wall

Designed by Jasper Morrison, 1999



Wall mounted lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass. Galvanized pressed steel wall fitting.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607016725
Mounting	Wall
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	100

Physical

Colour	White
Net weight (kg)	1.8
Package height (mm)	270
Package width (mm)	380
Package length (mm)	380
Package volume (m3)	0.04
IP internal	40



Download

Mounting instructions	₹ PDF
pare Parts	业 PDF

Photometric Files

LDT / IES



Technical Drawings

2D		₹ ZIP
3D		₹ ZIP
⋒ Bim		业 ZIP
















Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Symmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No





NOT INCLUDED


RF32564

LED Lamp 11.5W E27 220-240V 3000K A70

NOT INCLUDED

RF32563

LED Lamp 11.5W E27 220-240V 2700K A70



01. Glo-Ball Wall white diffuser

RE3U22000

DOWNLOAD

https://professional.flos.com/en/global/product/glo-ball-wall-f3022000/

F3022000



RF3022000

Glo-Ball Wall white diffuser