



F0002030 Glossy Black

Skygarden 2

Designed by Marcel Wanders, 2007



Halogen - 205W

Suspension luminaire providing diffused lighting. Hemispherical, mechanically-processed cast plaster diffuser, painted white inside. Outer finish: rust, glossy black, glossy white or matte gold. Plaster diffuser support in die-cast aluminum alloy. Upper cable gland and blocking ring nut in black injection-molded PC. Shaped, adjustment screws. Transparent, injection-molded, upper and lower silicone shock absorbers. Lampholder and fixing support in PPS. Flashed and blown opal glass diffuser. Molded fixing ring nut in die-cast aluminum alloy with alodine plating. Frieze in photo-etched and mechanically drawn AISI 304 steel. Molded and galvanized steel ceiling attachment. Gray, injection-molded PC rose, painted the same color as the body.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

450 mm 2700 mm m 006 ø

Main specifications

EAN	8059607012901
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	205

Physical

Colour	Glossy Black
Cord length (mm)	2700
Net weight (kg)	29
Package height (mm)	680
Package width (mm)	1120
Package length (mm)	1120
Package volume (m3)	0.85
IP internal	20



Nounting instructions	业 PDF
nare Parts	↓ PDE

Photometric Files

LDT / IES



Technical Drawings

2D	<u>↓</u> ZIP
3D	业 ZIP
⊕ Bim	↓ ZIP

















https://professional.flos.com/en/global/product/skygarden-2-f0002030/

F0002030

Schematic light drawing



Beam Angle:		118°
h(m)	E(lx)	D(m)
1	729	3.36
2	182	6.72
3	81	10.08
4	46	13.44
5	29	16.79


Luminous flux luminaire 4210 lm

Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	I	
Frequency (Hz)	50/60	
Main voltage (Vac)	220-250	
LED voltage Vf (Vdc)	null	
Dimmable	Yes	
Dimming interface	Remote Dimmable (Dimmer Not Included)	
Batteries inside	No	
Charging min time	No	




NOT INCLUDED

RF29388

LED T46 Lamp E27 20W 2700K Dimmable

Spare Parts



01. Kit of quantity 5 or rings RF6420230

02. Glass diffuser assembly RF6420100

D3. Kit of 5 or rings RF05382

DOWNLOAD





00000

RF6420230

Kit of quantity 5 or rings

RF6420100

Glass diffuser assembly

RF05382

Kit of 5 or rings