

P-4054X

bollard light

Date	Туре	
Project		
Location		
Model #	Quantity	
Specifier		

Description

Metallic outdoor bollard light with transparent pyrex glass diffuser.

Integrated LED providing direct and indirect light. Double layer coating for high resistence to corrosion and other environmental conditions. Hard wired (no plug).












Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Product Code	Lamp		Finish	
P-4054X	LED 6,2W (included)	E	96 BLK ANT Black	Anthracite
	(2700K / Ang 70° / >90 CRI / 350mA) / 100V - 240V		CUSTOM	
	Typ* 725 lumens / Non Dimmable / Hard wired (no plug)			



SPECIAL REQUIREMENTS

Custom finishes and versions

We offer custom RAL finishes.

Alternate lamping and sizes available for projects.

Consult our offices.

Special instructions





bollard light

Date	Туре	
Project		
Location		
Model #	Quantity	
Specifier		

Description

Metallic outdoor bollard light with transparent pyrex glass diffuser.

Integrated LED providing direct and indirect light. Double layer coating for high resistence to corrosion and other environmental conditions. Hard wired (no plug).












Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Product Code	Lamp		Finish	
P-4055X	LED 6,2W (included)	F	96 BLK ANT	Black Anthracite
	(2700K / Ang 70° / >90 CRI / 350mA) / 100V - 240V		CUSTOM	
	Typ* 725 lumens / Non Dimmable / Hard wired (no plug)			



SPECIAL REQUIREMENTS

Custom finishes and versions

We offer custom RAL finishes.

Alternate lamping and sizes available for projects.

Consult our offices.

Special instructions



bollard light

Date	Туре	
Project		
Location		
Model #	Quantity	
Specifier		

Description

Metallic outdoor bollard light with transparent pyrex glass diffuser.

Integrated LED providing direct and indirect light. Double layer coating for high resistence to corrosion and other environmental conditions. Hard wired (no plug).











Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Product Code	Lamp		Finish	
P-4056X	LED 6,2W (included)	F	96 BLK ANT	Black Anthracite
	(2700K / Ang 70° / >90 CRI / 350mA) / 100V - 240V		CUSTOM	
	Typ* 725 lumens / Non Dimmable / Hard wired (no plug)		•	
		_	114 mm 4.1/2"	
			Ø 50 mm	70 mn
			Ø 2"	2.3/4
		E *.		
		400 mm 15.3/4"		17.1/8"
	NEOLUDE MENTC	4		17.
SPECIAL F	REQUIREMENTS			
Custom finishe	s and versions			
We offer custom RA				
Consult our offices.	and sizes available for projects.			
Consuit our offices.		-	106 mm 4.1/8"	_58 mr 2.1/4



