



F9560030 Black

Wan Suspension

Designed by Johanna Grawunder, 2006



Halogen - 40W

Suspension lamp providing direct lighting. Aluminum body, available in shiny white, shiny black and shiny green finishes. Low glare shield. Provided by two different ring due to fix the safety tempered glass, in black and green.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

Mounting	Suspension	
Environments	Indoor dry location	
Light Source Type	Bulb	
Lamp category	Halogen	
Lamp holders	G9	
Ilcos	HSG	
Number of heads	1	
Power (W)	40	

Physical

Colour	BIack
Length (mm)	115
Cord length (mm)	2800
Net weight (kg)	0.85
Package height (mm)	175
Package width (mm)	220
Package length (mm)	190
Package volume (m3)	0.01
IP internal	20



Download

Nounting instructions	$\overline{\mathbf{A}}$	PDF
nare Parts	1	PDF

Photometric Files

LDT / IES



Technical Drawings

2D	⊥ ZIP
3D	⊥ ZIP
a Bim	↓ ZIP

















https://professional.flos.com/en/global/product/wan-suspension-f9560030/

F9560030

Schematic light drawing



Beam Angle:		68°
h(m)	E(lx)	D(m)
1	147	1.35
2	37	2.70
3	16	4.05
4	9	5.40
5	6	6.75

Luminous flux luminaire 460 lm

Photometric

Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No



NOT INCLUDED

RF18863

Halogen Lamp G9 33W 2700K HALOPIN Dimmable

Spare Parts



01.	Black rose assembly	RF9560130
02.	G9 lamp holder with inner ring	RF9560200
	and 2,5mt of eletrical cable	
03.	Wan glass assembly	RF9550200
04.	External ring	RF13990
04.	External ring	RF14546
05.	Reflector / ring assembly	RF9550130
05.	Assembly External Ring for Wan	RF9550139

DOWNLOAD









RF9560130

Black rose assembly

DE0560200

G9 lamp holder with inner ring and 2,5mt of eletrical cable

RF9550200

Wan glass assembly

RF13990

External ring







RF14546

External ring

RF9550130

Reflector / ring assembly

RF9550139

Assembly External Ring for Wan