

Wan Suspension

Designed by Johanna Grawunder, 2006



Halogen - 40W

Suspension lamp providing direct lighting. Aluminum body, available in shiny white, shiny black and shiny green finishes. Low glare shield. Provided by two different ring due to fix the safety tempered glass, in black and green.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607024195
Mounting	Suspension
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	G9
Ilcos	HSG
Number of heads	1
Power (W)	40

Physical

Colour	White
Cord length (mm)	2800
Net weight (kg)	0.85
Package height (cm)	135
Package width (cm)	125
Package length (cm)	250
IP internal	20



Download

Mounting instructions	↓ PDF
Spare Parts	↓ PDF

Photometric Files


LDT / IES	↓ LDT
-----------	-------

Technical Drawings

2D	↓ ZIP
3D	↓ ZIP



Schematic light drawing



Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF18863

Halogen Lamp G9 33W 2700K

HALOPIN Dimmable

Spare Parts



RF13990
External ring



RF14546
External ring



RF9550130
Reflector / ring assembly



RF9550200
Wan glass assembly



RF9560130
Black rose assembly



RF9560200
G9 lamp holder with inner ring
and 2,5mt of eletrical cable