

Luminator

Designed by Achille and Pier Giacomo Castiglioni, 1954



Floor lamp providing indirect light. Bulb with reflector. Iron stem with painted finish. Painted galvanized metal legs.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607047071
Mounting	Floor
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGSR
Number of heads	1
Power (W)	105

Physical

Colour	Lite Blue
Cord length (mm)	2800
Net weight (kg)	3.7
Package height (mm)	120
Package width (mm)	1515
Package length (mm)	140
Package volume (m3)	0.03
IP internal	20



Download


Mounting instructions	PDF
Spare Parts	PDF

Photometric Files

LDT / IES	LDT
-----------	-----

Technical Drawings

2D	ZIP
3D	ZIP



Photometric

Lighting type	Indirect
Light distribution	Symmetric


Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Switch Integrated (Remote Dimmable)
Plug type	Type C
Batteries inside	No
Charging min time	No

Notes

Dimmable Switch included

Bulbs




NOT INCLUDED

RF32366

LED Lamp 12W E27 220-240V

2700K R125

Spare Parts



02. Led rondo' dimmer 220/240v 40- RF28045
250w 4-100w

DOWNLOAD



RF28045

Led rondo' dimmer 220/240v 40-
250w 4-100w