



F6497014 Blue

String Light - Cone head - 22mt cable

Designed by Michael Anastassiades, 2014




21W - 1035lm - 2700K

Suspension lamp providing diffused light. Black, white or blue varnished die-cast aluminium body coated with clear soft-touch varnish. Optical diffuser in opal PC. Suspension system of 22 metres with Kevlar reinforced coaxial cable. Available with wall/ceiling connection in black PC and power supply with floor switch in black varnished PC. The on/off switch is electronic with optical and touch dimm mechanism included or touch dimm and CASAMBI Ready version. Dimmer included. Compulsory to add either floor switch or ceiling/wall rose.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607041581	
Mounting	Suspension	
Environments	Indoor dry location	
Light Source Type	LED	
LED type	LED array	
Power (W)	21	
System flux (lm)	1035	

Physical

Colour	Blue
Cord length (mm)	22000
Net weight (kg)	1.15
Package height (mm)	300
Package width (mm)	300
Package length (mm)	300
Package volume (m3)	0.03
IP internal	20

Download

Mounting instructions	业 PDF
Mounting instructions	⊥ PDF
Mounting instructions	⊥ PDF
Spare Parts	↓ PDF

Photometric Files

LDT / IES

.↓. LDT

Technical Drawings

⋒ Bim

₹ ZIP















ΙP
20

https://professional.flos.com/en/global/product/string-light-cone-head-22mt-cable-f6497014/

F6497014

Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Replaceable (LED only) light source by a professional

Photometric

Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2700

Electrical

Insulation class	III
Main voltage (Vac)	48
Forward voltage (V)	48
LED voltage Vf (Vdc)	null
Driver	Remote excluded
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Dimmer Integrated
Batteries inside	No
Charging min time	No

Accessories & Power Supply



REQUIRED

F6484014

Sting Light Floor Switch



REQUIRED

F6484314

Sting Light Floor Switch



REQUIRED

F6482014

String Light Canopy in Blue



OPTIONAL

F6485014

String Light Cable



01.	Kit with white hooks and white	RF6480109
	cable clamps	
02.	Power supply unit for led	RF22934
03.	Kit with allen key and screws for	RF6480200
	ceiling rose assembly	
03.	Kit with allen key and screws for	RFU648200
	ceiling rose assembly	

DOWNLOAD





Kit with white hooks and white cable clamps




RF22934

Power supply unit for led



RF6480200

Kit with allen key and screws for ceiling rose assembly



RFU648200

Kit with allen key and screws for ceiling rose assembly