

RECESSEDS



MADE IN SPAIN

LED



	ringO 01					
	ringO 02					
	ringO PLUS					
	Kono 1					
	Kono 2					
	530 mini LED					
	530 LED					
	530 PLUS LED					
	Vulcano 3 LED					
	Focus 25					
Focus 40						
Focus 55						
	Focus 80					
Focus 95						
	TUBE PENDANT semirecessed 25					

	ringO tilt 01					
	ringO tilt 02					
	ringO PLUS					
	Kono PLUS					
	onLED					
	onLED IP65					
	onLEDQ					
	10000 LED					
	BALO UP 60*-90-150*				*COMING SOON	
	BALO PENDANT semirecessed 60*-90-150*				*COMING SOON	
	MONT PENDANT semirecessed					

LED



GU 5.3					GU 10					G 53				
	MAX. 50W	QR-CBC 51	G 5.3	12 V		MAX. 50W	PAR 16	GU 10	220/240 V 50/60Hz		MAX. 100W	QR-111	G 53	12 V
	191Q	IP23 EXT	152 mm	LED	140 mm	G53 GU10	40°	355°	100 mm					
	192Q	IP23 EXT	152 mm	LED	140 mm									
	265-C	IP65 EXT	73 mm	LED	170 mm	GU5.3 GU10	140 mm							

RECESSEDS

	185	IP44 EXT	72 x 75 mm	LED	170 mm	GU5.3 GU10	150 mm
	187	IP23 EXT	94mm	GU5.3 GU10	160 mm		
	186-1	IP23 EXT	74 x 74 mm	GU5.3 GU10	120 mm		
	180	IP33 EXT	67 x 67 mm	LED	140 mm	GU5.3 GU10	120 mm
	181	IP33 EXT	76 mm	LED	140 mm	GU5.3 GU10	120 mm
	191/1	IP23 EXT	79 mm	GU5.3 GU10	35°	355°	120 mm
	192/1	IP23 EXT	79 mm	GU5.3 GU10	35°	355°	120 mm
	192/2	IP23 EXT	160 x 80 mm	GU5.3 GU10	120 mm	35°	355°
	Vulcano Asimetric.	IP33 EXT	108 mm	LED	170 mm	GU5.3 GU10	150 mm
	Box	IP33 EXT	74 x 74 mm	LED	170 mm	GU5.3 GU10	150 mm
	Vulcano 1	IP33 EXT	80 mm	LED	185 mm	GU5.3 GU10	165 mm
	Vulcano 2	IP23 EXT	108 mm	LED	185 mm	GU5.3 GU10	165 mm
	Vulcano 3	IP23 EXT	190 mm	LED	185 mm	G53	185 mm

SP Si el cable flexible o cordón de esta luminaria está dañado, debe sustituirse exclusivamente por el fabricante para de evitar cualquier riesgo.

EN If the flexible cable or cord of this luminaire is damaged, you must be replaced exclusively by the manufacturer to avoid any risk.

GR Wenn das flexible Kabel oder die Schnur dieser Leuchte beschädigt ist, müssen Sie nur durch den Hersteller ersetzt werden, um zu vermeiden jegliches Risiko.

FR Si le câble flexible ou le cordon de ce luminaire est endommagé, vous devez être remplacé exclusivement par le fabricant pour éviter tout risque.

PR Se o cabo ou o fio flexível desta luminária estiverem danificados, você deve ser substituído exclusivamente pelo fabricante para evitar qualquer risco.

AR إذا تلف الكابل المرن أو سلك هذا الإنارة، يجب عليه يتم استبدالها حصراً من قبل الشركة المصنعة لتجنب أي خطر.

SP La luminaria debe montarse solo fuera del alcance de la mano. (1)
Limite de la zona del alcance de la mano. (2)

EN Luminaire may only be installed outside the reach area specified. (1)
Limit of arm's reach. (2)

GR Montage der Leuchte nur außerhalb des angegebenen Handbereichs. (1) zulässig. Grenze des Handbereichs. (2)

FR Montage du luminaire uniquement en dehors du volume d'accessibilité au toucher. (1)
Limite du volume d'accessibilité au toucher. (2)

PR A luminária só deve ser instalado fora do alcance. (1)
Limitar alcance da área. (2)

AR لا يمكن تثبيت الإنارة إلا خارج منطقة الوصول المحددة. (1)
الاصابع منطقة الحد (2)

>IP20

IP20

GU10

ta 25° C.

≥ 30 cm.

mounting height

220-240V

≥ 0.75m²

230V, 50/60Hz

5-15mm

LED

constant current

ta 25° C.

Mounting Height

IP20

Driver

220/240 V 50/60Hz

IPXX Per Product

≥ 120mm

≥ 200mm

≥ 120mm

SP La fuente de luz de esta luminaria debe reemplazarse únicamente por la empresa Onok.

EN The light source of this luminaire should be replaced only by the company Onok.

GR Die Lichtquelle dieser Leuchte sollte nur ersetzt werden von der Firma Onok.

FR La source lumineuse de ce luminaire doit être remplacée uniquement par la société Onok.

PR A fonte de luz desta luminária só deve ser substituída pela Onok.

AR تعويض، بأكمله الإنارة جهاز تغير يجب بحوله نهاية إلى LED بشركة الاتصال المرجو ONOK

SP Luminaria no adecuada para cubrirse con material aislante térmico.

EN Luminaires not suitable for covering with thermally insulating material.

GR Leuchten nicht mit Dämm-Material abdecken.

FR Ne pas recouvrir le luminaire avec du matériau isolant.

PR Luminária não é adequada para ser coberto com isolamento térmico

AR مصابيح لا تصلح لتغطيتها بمواد العزل الحراري.

GU 10 - GU53 - G53

